

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	6	("6484149" or "6012087" or "6247032").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 12:19
L3	16	"20020065976" or ("6615235" or "6584548" or "6557076" or "6539420" or "6457103" or "6247032" or "6055522").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
L4	2614	(content or media) adj page and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
L5	244	(generat\$4 or creat\$4) with ((content or media) adj page) and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
L6	6	(generat\$4 or creat\$4) with ((content or media) adj page) same template and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
L7	187	(generat\$4 or creat\$4) with ((content or media or web) adj page) same template and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
L8	134	(generat\$4 or creat\$4) with ((content or media or web) adj page) with template and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
L9	0	(generat\$4 or creat\$4) with ((content or media or web) adj page) with template with database with relationship and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
L10	11	(generat\$4 or creat\$4) with ((content or media or web) adj page) with template with database and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37

## EAST Search History

L11	199	(modif\$4 or updat\$4 or chang\$4) with ((content or media or web) adj page) with database and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
L12	55	(modif\$4 or updat\$4 or chang\$4) with ((content or media or web) adj page) with (difference or change) with database and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
L13	2	(modif\$4 or updat\$4 or chang\$4) with ((content or media or web) adj page) with (difference or change) with compar\$5 with database and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
L14	2	"6615235".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
L15	2	"6247032".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
L16	4	707/104.1.ccls. and (generat\$4 or creat\$4) with ((content or media or web) adj page) with template and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
L17	22	707/10.ccls. and (generat\$4 or creat\$4) with ((content or media or web) adj page) with template and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
L18	8	707/102.ccls. and (generat\$4 or creat\$4) with ((content or media or web) adj page) with template and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
L19	2	"6012087".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
L20	4	"6012087".pn. or "6247032".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37

## EAST Search History

L21	0	(re\$1generat\$4 or re\$1creat\$4) with ((content or media or web) adj page) with template with database with relationship and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
L22	1	(re\$1generat\$4 or re\$1creat\$4) with ((content or media or web) adj page) with ((modif\$5 or change\$2) near2 (content or media or web) adj page) and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
L23	1	(re\$1generat\$4 or re\$1creat\$4) with ((content or media or web) adj page) same ((modif\$5 or change\$2) near2 (content or media or web) adj page) and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
L24	0	(re\$1generat\$4 or re\$1creat\$4) with ((content or media or web) adj page) same ((content or media) adj item) and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
L25	0	(re\$1generat\$4 or re\$1creat\$4) with ((content or media or web) adj page) same ((content or media) with item) and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
L26	16	(re\$1generat\$4 or re\$1creat\$4) with ((content or media or web) adj page) and ((content or media) with item) and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
L27	16	(re\$1generat\$4 or re\$1creat\$4) with ((content or media or web) adj page) and ((content or media) with item) and @ad < "20000620" and database and stor\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
L28	941	(synchron\$5 or updat\$4 or modif\$4) with ((content or media or web) adj page) and database and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
L29	17	(synchron\$5 or updat\$4 or modif\$4) with ((content or media or web) adj page) and database and @ad < "20000620" and ((re\$1generat\$4 or re\$1creat\$5) with (content or media or web) adj page)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37

## EAST Search History

L30	2	"20020065976"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
L31	2	"6560639".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
L32	6	"6012087".pn. or "6247032".pn. or "6560639".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
L33	20	((page or content) adj item) with (updat\$ or modif\$4 or chang\$4) with (time or time\$1stamp) and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
L34	2	((content adj pages)) with (updat\$ or modif\$4 or chang\$4) with (time or time\$1stamp) with database and @ad < "20000620" and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
L35	43	((page or content) with item) with (updat\$ or modif\$4 or chang\$4) with (time or time\$1stamp) and @ad < "20000620" and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
L36	122	((page or content) adj item) with (updat\$ or modif\$4 or chang\$4) with (time or time\$1stamp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
L37	196	((page or content) with item) with (updat\$ or modif\$4 or chang\$4) with (time or time\$1stamp) and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
L38	270	((page or content)) with (updat\$ or modif\$4 or chang\$4) with (time or time\$1stamp) with database and @ad < "20000620" and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
L39	0	((content adj components)) with (updat\$ or modif\$4 or chang\$4) with (time or time\$1stamp) with database and @ad < "20000620" and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37

## EAST Search History

L40	4	((page or content) adj item) with (updat\$ or modif\$4 or chang\$4) with (time or time\$1stamp) and database and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
L41	0	((content adj item)) with (updat\$ or modif\$4 or chang\$4) with (time or time\$1stamp) with database and @ad < "20000620" and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
L42	19	((web adj page)) with (updat\$ or modif\$4 or chang\$4) with (time or time\$1stamp) with database and @ad < "20000620" and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
L43	434	(web near2 template) with (generat\$4 or creat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
L44	2	"20020065976"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
L45	207	(web near2 template) with ((generat\$4 or creat\$4) near3 page)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
L46	49	(web near2 template) with ((generat\$4 or creat\$4) near3 page) and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
L47	8	(web near2 template) with ((generat\$4 or creat\$4) near3 page) and @ad < "20000620" and (retriev\$4 near2 database) and time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
L48	10	(web near2 template) with ((generat\$4 or creat\$4) near3 page) and @ad < "20000620" and (retriev\$4 near2 database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
L49	35	(web near2 template) with ((generat\$4 or creat\$4) near3 page) and @ad < "20000620" and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37

## EAST Search History

L50	4	("6484149" or "6012087" or "66247032").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
L51	10	(web near2 template) with ((generat\$4 or creat\$4) near3 page) and @ad < "20000620" and (content with (updat\$4 or chang\$3) with time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
L52	12641	@ad < "20000620" and (content with (updat\$4 or chang\$3) with time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
L53	0	@ad < "20000620" and (content with (updat\$4 or chang\$3) with time\$1stamp with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
L54	0	@ad < "20000620" and (content with (updat\$4 or chang\$3) with timestamp with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
L55	174	(content with (updat\$4 or chang\$3) with time with database) and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
L56	8	(web with content with (updat\$4 or chang\$3) with time with database) and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
L57	91	(web with content with (updat\$4 or chang\$3) with time) and ( database) and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
L58	6	("6484149" or "6012087" or "6247032").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 13:37
S1	16	"20020065976" or ("6615235" or "6584548" or "6557076" or "6539420" or "6457103" or "6247032" or "6055522").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/14 13:59

## EAST Search History

S2	2559	(content or media) adj page and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/14 14:00
S3	238	(generat\$4 or creat\$4) with ((content or media) adj page) and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/14 14:01
S4	6	(generat\$4 or creat\$4) with ((content or media) adj page) same template and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/14 14:02
S5	177	(generat\$4 or creat\$4) with ((content or media or web) adj page) same template and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/14 14:02
S6	125	(generat\$4 or creat\$4) with ((content or media or web) adj page) with template and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 08:28
S7	0	(generat\$4 or creat\$4) with ((content or media or web) adj page) with template with database with relationship and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 10:35
S8	11	(generat\$4 or creat\$4) with ((content or media or web) adj page) with template with database and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/14 14:33
S9	191	(modif\$4 or updat\$4 or chang\$4) with ((content or media or web) adj page) with database and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/14 14:41
S10	52	(modif\$4 or updat\$4 or chang\$4) with ((content or media or web) adj page) with (difference or change) with database and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/14 14:41
S11	2	(modif\$4 or updat\$4 or chang\$4) with ((content or media or web) adj page) with (difference or change) with compar\$5 with database and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/14 15:02

## EAST Search History

S12	2	"6615235".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/14 15:37
S13	2	"6247032".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/14 15:37
S14	4	707/104.1.ccls. and (generat\$4 or creat\$4) with ((content or media or web) adj page) with template and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 08:29
S15	21	707/10.ccls. and (generat\$4 or creat\$4) with ((content or media or web) adj page) with template and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 08:29
S16	8	707/102.ccls. and (generat\$4 or creat\$4) with ((content or media or web) adj page) with template and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 08:29
S17	2	"6012087".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 10:05
S18	4	"6012087".pn. or "6247032".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 17:39
S19	0	(re\$1generat\$4 or re\$1creat\$4) with ((content or media or web) adj page) with template with database with relationship and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 10:36
S20	1	(re\$1generat\$4 or re\$1creat\$4) with ((content or media or web) adj page) with ((modif\$5 or change\$2) near2 (content or media or web) adj page) and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 10:49



## EAST Search History

S21	1	(re\$1generat\$4 or re\$1creat\$4) with ((content or media or web) adj page) same ((modif\$5 or change\$2) near2 (content or media or web) adj page) and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 12:37
S22	0	(re\$1generat\$4 or re\$1creat\$4) with ((content or media or web) adj page) same ((content or media) adj item) and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 12:38
S23	0	(re\$1generat\$4 or re\$1creat\$4) with ((content or media or web) adj page) same ((content or media) with item) and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 12:38
S24	14	(re\$1generat\$4 or re\$1creat\$4) with ((content or media or web) adj page) and ((content or media) with item) and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 13:04
S25	14	(re\$1generat\$4 or re\$1creat\$4) with ((content or media or web) adj page) and ((content or media) with item) and @ad < "20000620" and database and stor\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 12:39
S26	898	(synchron\$5 or updat\$4 or modif\$4) with ((content or media or web) adj page) and database and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 13:06
S27	17	(synchron\$5 or updat\$4 or modif\$4) with ((content or media or web) adj page) and database and @ad < "20000620" and ((re\$1generat\$4 or re\$1creat\$5) with (content or media or web) adj page)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 13:20
S28	2	"20020065976"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 15:09
S29	2	"6560639".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 15:09

## EAST Search History

S30	6	"6012087".pn. or "6247032".pn. or "6560639".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 17:39
S31	122	((page or content) adj item) with (updat\$ or modif\$4 or chang\$4) with (time or time\$1stamp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 16:39
S32	20	((page or content) adj item) with (updat\$ or modif\$4 or chang\$4) with (time or time\$1stamp) and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 16:49
S33	4	((page or content) adj item) with (updat\$ or modif\$4 or chang\$4) with (time or time\$1stamp) and database and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 16:40
S34	196	((page or content) with item) with (updat\$ or modif\$4 or chang\$4) with (time or time\$1stamp) and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 16:50
S35	43	((page or content) with item) with (updat\$ or modif\$4 or chang\$4) with (time or time\$1stamp) and @ad < "20000620" and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 17:05
S36	270	((page or content)) with (updat\$ or modif\$4 or chang\$4) with (time or time\$1stamp) with database and @ad < "20000620" and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 17:06
S37	0	((content adj item)) with (updat\$ or modif\$4 or chang\$4) with (time or time\$1stamp) with database and @ad < "20000620" and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 17:06
S38	0	((content adj components)) with (updat\$ or modif\$4 or chang\$4) with (time or time\$1stamp) with database and @ad < "20000620" and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 17:07
S39	2	((content adj pages)) with (updat\$ or modif\$4 or chang\$4) with (time or time\$1stamp) with database and @ad < "20000620" and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 17:07

## EAST Search History

S40	19	((web adj page)) with (updat\$ or modif\$4 or chang\$4) with (time or time\$1stamp) with database and @ad < "20000620" and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 18:33
S41	2	"20020065976"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 18:59
S42	434	(web near2 template) with (generat\$4 or creat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 19:00
S43	207	(web near2 template) with ((generat\$4 or creat\$4) near3 page)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 19:00
S44	49	(web near2 template) with ((generat\$4 or creat\$4) near3 page) and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 19:21
S45	35	(web near2 template) with ((generat\$4 or creat\$4) near3 page) and @ad < "20000620" and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 19:09
S46	10	(web near2 template) with ((generat\$4 or creat\$4) near3 page) and @ad < "20000620" and (retriev\$4 near2 database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 19:08
S47	8	(web near2 template) with ((generat\$4 or creat\$4) near3 page) and @ad < "20000620" and (retriev\$4 near2 database) and time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 19:03
S48	10	(web near2 template) with ((generat\$4 or creat\$4) near3 page) and @ad < "20000620" and (content with (updat\$4 or chang\$3) with time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 19:25
S49	12641	@ad < "20000620" and (content with (updat\$4 or chang\$3) with time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 19:25

## EAST Search History

S50	0	@ad < "20000620" and (content with (updat\$4 or chang\$3) with time\$1stamp with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 19:25
S51	0	@ad < "20000620" and (content with (updat\$4 or chang\$3) with timestamp with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 19:26
S52	174	(content with (updat\$4 or chang\$3) with time with database) and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 19:26
S53	8	(web with content with (updat\$4 or chang\$3) with time with database) and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 19:30
S54	91	(web with content with (updat\$4 or chang\$3) with time) and (database) and @ad < "20000620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 19:47
S55	4	("6484149" or "6012087" or "66247032").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 19:50
S56	6	("6484149" or "6012087" or "6247032").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/10 12:19